



SUNSET COLOR II



- Dim-out kangas
- Pysyvästi palosuojattu DIN 4102 B1 mukaan



# SUNSET COLOR II

- kudottu kuviollinen dim-out kangas jolla on korkea pimennysaste myös vaaleissa sävyissä
- pysyvästi palosuojattu DIN 4102 B1 mukaan
- tyylikäs ja pehmeästi laskostuva
- moderni ja helppohoitoinen kangas julkisiin tiloihin

koostumus	100 % Polyester FR
leveys	1500 mm
paino per metri	375 g
paino per m <sup>2</sup>	250 g
värinkesto	5 - 6
kutistuminen	0 - 0,5 %
erikoisvärit	pyydettyinä
pysyvästi palosuojattu	DIN 4102 B1 mukaan, hyväksytty ja tarkistettu Prüfinstitut Hoch

hoito   



Lisää kansainvälisiä sertifikaatteja pyydettyinä.

# SUNSET COLOR II

- a woven and printed dim-out fabric featuring a very high blackout degree, even in bright colours
- permanent flame retardant according to DIN 4102 B1
- elegant and smooth fall with an excellent appearance
- modern and easy-care quality for public buildings

fabric	100 % Polyester FR
width	approx. 150 cm
weight per run. meter	approx. 375 g
weight per m <sup>2</sup>	approx. 250 g
tear strength	warp: approx. 1540 N weft: approx. 1310 N
colourfast	approx. 5 - 6
washfast	approx. 4 - 5
shrinkage	approx. 0 - 0,5 %
special colours	on demand
permanent flame retardant	according to DIN 4102 B1 approved and controlled by Prüfinstitut Hoch


care   



Further national and international test certificates are available or can be applied on short-term.

## SUNSET COLOR II

- kudottu kuviollinen dim-out kangas
- pysyvästi palosuojattu DIN 4102 B1 mukaan
- tyylikäs ja pehmeästi laskostuva
- moderni ja helppohoitoinen kangas julkisiin tiloihin



SUNSET COLOR II



52001

52002

52003

52004

52005

52006