



oy PEDELUX
AB
SUNSET

- Dim-out kangas
- Pysyvästi palosuojattu DIN 4102 B1 mukaan



SUNSET

- kudottu pimentävä dim-out kangas
- pysyvästi palosuojattu DIN 4102 B1 mukaan
- kauniisti ja pehmeästi laskostuva kangas
- moderni ja helppohoitoinen julkisiin rakennuksiin

koostumus	100 % Polyester FR
leveys	1500 mm / 3000 mm
paino per metri	375 g / 750 g
paino per m ²	250 g
värinkesto	4 - 5
pesukesto	4 - 5
kutistuminen	0 - 1 %
erikoisvärit	pyydettyäessä
absorptioluokka	luokka C - α_w 0,75
pysyvästi	DIN 4102 B1 mukaan,
palosuojattu	hyväksytty ja tarkistettu Prüfinstitut Hoch

hoito   



Lisää kansainvälisiä sertifikaatteja pyydettyäessä.

SUNSET

- a woven dim-out fabric with a high blackout degree
- permanent flame retardant according to DIN 4102 B1
- elegant and smooth fall with an excellent appearance
- modern and easy-care quality for public buildings

fabric	100 % Polyester FR
width	optional approx. 150 cm / approx. 300 cm
weight per run. meter	approx. 375 g / approx. 750 g
weight per m ²	approx. 250 g
tear strength	warp: approx. 1540 N weft: approx. 1310 N
colourfast	approx. 4 - 5
washfast	approx. 4 - 5
shrinkage	approx. 0 - 1 %
special colours	on demand
sound absorption	class C - α_w 0,75
light absorption	99,69 - 99,99 % depending on the colour
permanent flame retardant	according to DIN 4102 B1 approved and controlled by Prüfingstitut Hoch

care   



Further national and international test certificates are available or can be applied on short-term.



50020

- kudottu dim-out kangas
- pysyvästi palosuojattu DIN 4102 B1 mukaan
- kauniisti ja pehmeästi laskostuva kangas
- moderni ja helppohoitoinen julkisiin rakennuksiin





50001



50002



50003



50004



50005



50006



50007



50008



50009



50010



50011



50012



50013



50014



50015



50016

